



ISRAEL JOURNAL OF PLANT SCIENCES

INDEX to VOLS. 41-47 (1992-1999)



HMLTN
QK
1
.I93
HMLTN
QK 1 .I93
Israel journal of plant sciences
Index v 41 / 47 12/31/1999
Received: 01-25-00
UNIVERSITY OF HAWAII
AT MANOA -- LIBRARY



LASER PAGES PUBLISHING LTD.

ISRAEL JOURNAL OF PLANT SCIENCES

Formerly: Israel Journal of Botany

Formerly: Bulletin of the Research Council of Israel, Section D

A.M. MAYER, THE HEBREW UNIVERSITY OF JERUSALEM, JERUSALEM
Editor-in-Chief

Editorial Board

A. ALTMAN, *The Hebrew University of Jerusalem, Rehovot*
A. BREIMAN, *Tel Aviv University, Tel Aviv*
A. DAFNI, *University of Haifa, Haifa*
Z. DUBINSKY, *Bar-Ilan University, Ramat Gan*
A. ESHEL, *Tel Aviv University, Tel Aviv*
R. FLUHR, *The Weizmann Institute of Science, Rehovot*
S. GEPSTEIN, *Technion — Israel Institute of Technology, Haifa*
Y. GUTTERMAN, *Ben-Gurion University of the Negev, Sede Boker*
Y. HIRSHBERG, *The Hebrew University of Jerusalem, Jerusalem*
S. IZHAR, *The Volcani Center, Agricultural Research Organization, Bet Dagan*
J. KIGEL, *The Hebrew University of Jerusalem, Rehovot*
A. NACHMIAS, *Gilat Regional Experiment Station, A.R.O., Mobile Post, Negev*
U. PICK, *The Weizmann Institute of Science, Rehovot*
U. PLITMANN, *The Hebrew University of Jerusalem, Jerusalem*
Z. YANIV, *The Volcani Center, Agricultural Research Organization, Bet Dagan*

Senior Editor: S. Geller

Editorial Coordinator: E. Weiss

Special thanks to the Ministry of Science.

Copyright © 1999 by LASER PAGES PUBLISHING LTD.

Printed in Israel, December, 1999

For subscription, special order, and advertising information, write to:

Laser Pages Publishing Ltd., P.O. Box 35409, Jerusalem 91352, Israel

Israel Journal of Plant Sciences, Volume 47, 1999. Four issues annually. Subscription rate: \$275 including airmail postage and handling. Individuals whose institutions subscribe or who pay by personal check or Visa, Mastercard, or Eurocard are entitled to order at half the institutional rate.

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Laser Pages Publishing Ltd. to libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the fee of \$4.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. The identification code for *Israel Journal of Plant Sciences* is 0792-9978/98 \$4.00. All other rights, including microfilm, reserved.

LASER PAGES PUBLISHING Ltd. P.O. BOX 35409, JERUSALEM 91352, ISRAEL

TEL. 972-2-6522226

FAX: 972-2-6522277

e-mail: laserpages@netmedia.net.il

website: www.laserpages.net

Publishers of Israel Journal of Chemistry Israel Journal of Plant Sciences
Israel Journal of Earth Sciences Israel Journal of Zoology

- A**bulafia, S., Graur, D., Devos, K., and Breiman, A. Characterization of the wheat cDNA encoding the β subunit of the mitochondrial ATP synthase **44**: 77–88
- Agrawal, S.C. and Sharma, U.K. Chemical and biological properties of culture filtrates of *Westiellopsis prolifica* and *Chaetophora attenuata* **44**: 43–48
- Akhmetova, M. *See* Kamenetsky, R.
- Aktokluc, E. *See* Yildiz, B.
- Alcaraz, F. *See* Ríos, S.
- Alcaraz, F., Ríos, S., Delgado, M.J., and Inocencio, C. *Senecio glaucus* L. subsp. *glaucus*, an Eastern Mediterranean taxon in the sandy shores of southeastern Spain **46**: 331–335
- Algan, G. and Bakar, H.N. Light and electron microscopic examination of the embryo and endosperm development in the natural tetraploid *Trifolium Pratense* L. **44**: 273–288
- Almeida da Silva, R.M. and Rosselló, J.A. Anatomical studies on the *Scilla verna* (Hyacinthaceae) complex **47**: 103–110
- Alon, G. and Kadmon, R. Effect of successional stages on the establishment of *Quercus calliprinos* in an East Mediterranean maquis **44**: 335–345
- Altman, A. *See* Schwartz, M.
- Amo-Marco, J.B. Effect of plant growth regulators and orange juice on growth of callus from fruit tissues of Washington Navel orange **45**: 293–296
- Amo-Marco, J.B. *See* Lledó, M.D.
- Amzallag, G.N. and Lerner, H.R. Adaptation versus pre-existing resistance: An intergenotype analysis of the response of *Sorghum bicolor* to salinity **42**: 125–141
- Amzallag, G.N. Induced modifications in reproductive traits of salt-treated plants of *Sorghum bicolor* **46**: 1–8
- Amzallag, G.N. *See* Lerner, H.R.
- Amzallag, G.N., Nachmias, A., and Lerner, H.R. Influence of the mode of salinization on reproductive traits of field-grown progeny in *Sorghum bicolor* **46**: 9–16
- Anikster, Y. *See* Huang, L.
- Arad (Malis), S. *See* Cohen (Katz), A.
- Arianoutsou, M. and Paraskevopoulos, S. Some aspects of mineral cycling in a maquis (evergreen sclerophyllous) ecosystem of northeastern Greece **41**: 135–144
- Arroyo, J. and Dafni, A. Interspecific pollen transfer among co-occurring heteromorphic and homomorphic species **41**: 225–232
- Arzee, T. *See* Schwartz, M.
- Aydogdu, M., Ketenoglu, O., and Hamzaoglu, E. New syntaxa from Cappadocia (Kirsehir, Türkiye) **47**: 123–129
- Azizbekova, N. *See* Vishnevetsky, J.
- B**acchetta, G. *See* Mossa, L.
- Baer-Keeley, M. *See* Keeley, J.E.
- Bakar, H.N. *See* Algan, G.
- Banker, R. *See* Sukenik, A.
- Barash, I. *See* Gafni, Y.
- Basnizki, J. and Goldschmidt, E.E. Further examination of gibberellin A_3 effects on flowering of globe artichokes (*Cynara scolymus* L.) under controlled environment and field conditions **42**: 159–166
- Beer, S. The acquisition of inorganic carbon in marine macrophytes **46**: 83–87
- Beharav, A. and Cohen, Y. Attempts to overcome the barrier of interspecific hybridization between *Cucumis melo* and *C. metuliferus* **43**: 113–123
- Beharav, A., Pinthus, M.J., and Cahaner, A. Estimating heritability of families derived from single plants at an advanced generation of self-fertilizing species: Developing general formulas and estimating spring wheat traits .. **46**: 209–212
- Beiles, A. *See* Nevo, E.
- Beisvaag, T. *See* Drozdowska, L.
- Ben-Hod, G. *See* Losner-Goshen, D.
- Ben-Izhak Monselise, E. and Kost, D. ^{15}N NMR spectroscopic study of ammonium ion assimilation by *Spirodela oligorrhiza*—Lemnaceae—as affected by light and carbon supply in green and exfoliated plants **46**: 255–264
- Bergmeier, E. Flowering intensity of phrygana plants after fencing **46**: 41–46
- Berman, T., Pollinger, U., and Zohary, T. A short history of stability and change in phytoplankton populations in Lake Kinneret **46**: 73–80
- Berner, T. and Sukenik, A. Photoacclimation in photosynthetic microorganisms: An ultrastructural response **46**: 141–146
- Berner, T. *See* Fisher, T.
- Berner, T. *See* Sukenik, A.
- Bilu, Y. *See* Keasar, T.
- Binyamini, N. Addenda to the lignicolous Aphyllophorales, Ceratobasidiales, and Auriculariales fungi from Israel VIII **46**: 309–313
- Bogatsevskaya, N. *See* Sotirova, V.
- Bones, A. *See* Drozdowska, L.
- Bosabalidis, A.M. A morphological approach to the question of salt gland lifetime in leaves of *Tamarix aphylla* L. **41**: 115–121
- Bosabalidis, A.M. *See* Gavalas, N.
- Bosch, J., Garcia del Pino, F., Ramoneda, J., and Retana, J. Fruiting phenology and fruit set of carob, *Ceratonia siliqua* L. (Cesalpinaceae) **44**: 359–368
- Bozcuk, S. *See* Ünyayar, S.
- Brandt, R. *See* Vorobyev, M.
- Breiman, A. and Graur, D. *Minireview*: Wheat evolution **43**: 85–98
- Breiman, A. *See* Abulafia, S.
- Brullo, S. *See* Mossa, L.
- Brunori, A. *See* Schiller, G.
- Bukenya, Z.R. and Carasco, J.F. Hair types, pollen, and seed surfaces of *Solanum macrocarpon* complex and *Solanum linnaeanum* (Solanaceae) **42**: 41–50
- Bullock, D.W. *See* Siefkes-Boer, H.J.
- C**aba, J.M. *See* Ocaña, A.
- Cahaner, A. *See* Beharav, A.
- Caldwell, M.M. and Manwaring, J.H. Hydraulic lift and soil

- nutrient heterogeneity **42**: 321–330
- Camuñas, E. and Crespo, M.B. The genus *Hoffmannseggia* cav. (Fabaceae, Caesalpinioideae), new for the Mediterranean flora **47**: 283–287
- Candau, P. and Minero, F.J.G. Relationship between vegetation and pollen spectrum in southwest Spain **41**: 285–295
- Carasco, J.F. *See* Bukenya, Z.R.
- Carmeli, S. *See* Sukenik, A.
- Carnes, L.F. *See* Perez-Garcia, F.
- Carraro, L. *See* Patrignani, G.
- Celesti, C. *See* Chiarucci, A.
- Chausser-Volfson, E. and Gutterman, Y. The barbaloin content and distribution in *Aloe arborescens* leaves according to the leaf part, age, position, and season **44**: 289–296
- Chernoff, M., Plitmann, U., and Kislev, M.E. Seed characters and testa texture in species of the Viciae: Their taxonomic significance **41**: 167–186
- Chiarucci, A. and Dominici, V. De. Effects of pine plantations on ultramatic vegetation of central Italy **43**: 7–20
- Chiarucci, A. *See* Maccherini, S.
- Chiarucci, A., Riccucci, M., Celesti, C., and De Dominici, V. Vegetation–environment relationships in the ultramafic area of Monte Ferrato, Italy **46**: 213–221
- Chinnappa, C.C. *See* Ramamoorthy, J.
- Chittka, L. and Waser, N.M. Why red flowers are not invisible to bees **45**: 169–183
- Chittka, L. Bee color vision is optimal for coding flower color, but flower colors are not optimal for being coded—Why? **45**: 115–127
- Chong, D.K. *See* Ramamoorthy, J.
- Chung, M.G. and Kang, S.S. Allozyme genetic and clonal diversity within populations of *Chimaphila japonica* and *Pyrola japonica* (Pyrolaceae) **44**: 259–271
- Chung, M.G. and Park, K.B. Spatial genetic structure in populations of *Hosta capitata* and *Hosta minor* (Liliaceae) **46**: 181–187
- Chung, M.G. *See* Kim, S.T.
- Çiplak, B. *See* Yildiz, B.
- Cleland, R.E. *See* Lavee, S.
- Cocker, K.M., Hodson, M.J., Evans, D.E., and Sangster, A.G. Interaction between silicon and aluminum in *Triticum aestivum* L. (cv. Celtic) **45**: 285–292
- Cocks, P.S. *See* Pagnotta, M.A.
- Cohen (Katz), A. and Arad (Malis), S. Biosynthesis of the cell wall polysaccharide in the red microalga *Rhodella reticulata* **46**: 147–153
- Cohen, B. *See* Perelman, A.
- Cohen, M. *See* Tomer, E.
- Cohen, O. *See* Plitmann, U.
- Cohen, Y. *See* Beharav, A.
- Cohen, Y. *See* Schwartz, M.
- Colon, L.T. *See* Orenstein, J.
- Comes, H.P. Selfing ability and male sterility in *Senecio vernalis* Waldst. et Kit. (Asteraceae) from Israel **42**: 89–103
- Comes, H.P. The occurrence of *Senecio vulgaris* L. var. *vulgaris* and *S. × Helwingii* Veger ex hegi (*S. vulgaris* × *S. vernalis* Waldst. et Kit.) in Israel **42**: 105–113
- Conner, A.J. *See* Siefkes-Boer, H.J.
- Corsi, G. and Nencioni, S. Secretory structures in *Artemisia nitidia* Bertol. (Asteraceae) **43**: 359–365
- Crespo, M.B. *Centaurea hyalolepis* boiss. subsp. *Hyalolepis* (Asteraceae), a new taxon for the Iberian Peninsula **41**: 129–133
- Crespo, M.B. *See* Camuñas, E.
- Crespo, M.B. *See* Herrero-Borgoñón, J.J.
- Crespo, M.B. *See* Lledó, M.D.
- Cristóbal, J.C. *See* Herrero-Borgoñón, J.J.
- Dafni, A. and Kevan, P.G. Flower size and shape: Implications in pollination **45**: 201–212
- Dafni, A. *See* Arroyo, J.
- Dafni, A. *See* Ne'eman, G.
- Dafni, A. *See* Nevo, E.
- Dafni, A. The response of *Amphicoma* spp. (Coleoptera; Glaphyridae) beetles to red models differing in area, shape, and symmetry **45**: 247–254
- Dagan, R. and Eisikowitch, D. *Note: Calotropis gigantea* in Israel: New arrival or new discovery? **42**: 167–168
- Dalaka, A. *See* Pirintsos, S.A.
- Danin, A. and Kukkonen, I. Contributions to the flora of Israel. VIII. A new *Cyperus* from Israel, *Cyperus sharonensis* Danin et Kukkonen sp.n. **43**: 77–82
- Danin, A. and Šcholz, H. *Note: Contributions to the flora of Israel. VII. Bromus commutatus* Schrader, *Aegilops cylindrica* Host, and *Vulpia persica* (Boiss. et Buhse) V. Krecz. et Bobrov, new grasses in Israel **42**: 257–259
- Danin, A. Association of *Salsola inermis* and scorpion burrows in leached soils in the Judean Desert, Israel **42**: 37–40
- Danin, A. Contributions to the flora of Israel. VI. *Stipagrostis drarii* and *Ambrosia confertiflora* and *tenuifolia*, new records from Israel **42**: 59–61
- Danin, A. Sandstone outcrops—A major refugium of Mediterranean flora in the xeric part of Jordan **47**: 179–187
- Das, A.B. Effects of different physiochemical factors on regeneration of *Cymbopogon polyneuros* Stapf via callus culture and subsequent chromosomal stability **47**: 195–198
- Das, P. *See* Rout, G.R.
- Das, P. *See* Samantaray, S.
- Datta, K. and Datta, S.K. Palynological interpretation of gamma ray and colchicine induced mutation in chrysanthemum cultivars **46**: 199–207
- Datta, S.K. *See* Datta, K.
- De Dominici, V. *See* Chiarucci, A.
- De Dominici, V. *See* Loppi, S. (x2)
- De Dominici, V. *See* Maccherini, S.
- De Dominici, V. *See* Pirintsos, S.A.
- De Las Heras, J. *See* Herranz, J.M.
- del Rio, A. *See* Valenzuela, J.L.
- Delgado, M.J. *See* Alcaraz, F.
- Devos, K. *See* Abulafia, S.
- Diamantopoulos, G.S. *See* Psaras, G.K.
- Dimitrov, B. *See* Sotirova, V.
- Dominici, V. De. *See* Chiarucci, A.

- Dor, I. A checklist of Cyanophyta (cyanobacteria) of Israel and adjacent regions **46:** 239–254
- Dorenfeld, Y. *See* Ofir, M.
- Doussi, M.A. *See* Thanos, C.A.
- Drozdowska, L., Thangstad, O.P., Beisvaag, T., Evjen, K., Bones, A., and Iversen, T.-H. Myrosinase and myrosin cell development during embryogenesis and seed maturation **41:** 213–223
- Dubey, A.K. and Rai, A.K. Application of algal biofertilizers (*Aulosira fertilissima* Tenuis and *Anabaena doliolum* Bhardawaja) for sustained paddy cultivation in Northern India **43:** 41–51
- Dubinsky, Z. *See* Fisher, T.
- Dubinsky, Z. *See* Hanagata, N.
- Dubinsky, Z. *See* Herzig, R.
- Dubinsky, Z. *See* Perelman, A.
- E**cker, R. *See* Yaniv, Z.
- Einav, R. Note: Two observations of seaweeds from the Israeli coast: *Boodleopsis pusilla* and *Caulerpa prolifera* (Forsskål) Lamouroux (Chlorophyta, Caulerpales) **46:** 81–82
- Einav, R., Olsvig-Whittaker, L., and Sharon, Y. Macroalgae community structure and dynamics on Mediterranean sub-surface platforms of Pigeon Island, Israel **46:** 125–130
- Eisikowitch, D. and Wetzstein, H.Y. Enhancement of pollen germination by promotive factors in incompatible pollen **47:** 165–168
- Eisikowitch, D. *See* Dagan, R.
- Ellanskaya, I.A. *See* Wasser, S.P.
- Ertekin, A.S., Orcan, N., and Misirdali, H. A new *Lathyrus* L. for the flora of Turkey: Floristic note **45:** 339–341
- Escudero, A. *See* Pérez-García, F.
- Estrelles, E., Iranzo, J., Martínez-Solís, I., and Ibars, A.M. Morphological and anatomical structure of galls in *Genista florida* L. subsp. *polygaliphylla* (Brot.) Couthino (Leguminosae) **47:** 189–194
- Evans, D.E. *See* Cocker, K.M.
- Evenari, M. *See* Gutterman, Y.
- Evenor, D., Franck, A., Tabib, Y., Zelcer, A., Izhar, S., and Firon, N. Changes in the mitochondrial double membrane in tapetal and sporogenic cells in cytoplasmic male sterile anthers of petunia **42:** 173–181
- Evjen, K. *See* Drozdowska, L.
- Ezer, N., Sahin, F.P., and Toker, M.C. Morphological and anatomical investigations of *Ballota nigra* L. subsp. *anatolica* P.H. Davis used as folk medicine **47:** 43–48
- F**ahn, A. Seasonal cambial activity and phytogeographic origin of woody plants: A hypothesis **43:** 69–75
- Falkowski, P.G. *See* Sukenik, A.
- Fazal, M., Khan, M.I., Raza, M.A., Siddiqui, Z.A. Effects of individual and combined inoculation of *Meloidogyne javanica*, *Rhizoctonia solani*, and *Fusarium oxysporum* f. sp. *ciceri* on chickpea **42:** 207–211
- Feldman, M. *See* Huang, L.
- Fernando, M. *See* Glass, A.D.M.
- Ferrandis, P. *See* Herranz, J.M.
- Ferrandis, P., Herranz, J.M., and Martínez-Sánchez, J.J. Fire impact on a maquis soil seed bank in Cabañeros National Park (central Spain) **47:** 17–26
- Firon, N. *See* Evenor, D.
- Fishbein, T. *See* Pollingher, U.
- Fisher, T., Berner, T., Gal, A., and Dubinsky, Z. A comparison of computerized image analysis and stereology as tools for morphological study of algal cells **46:** 177–180
- Fostik-Magyar, C. *See* Perelman, A.
- Fragman, O. *See* Nevo, E.
- Franck, A. *See* Evenor, D.
- Friedlander, M. *See* Israel, A.A.
- Friedman, Y. *See* Lerner, H.R.
- G**abay, R. *See* Plitmann, U.
- Gafni, Y., Manulis, S., Kunik, T., Lichter, A., Barash, I., and Ophir, Y. Characterization of the auxin synthesis genes of *Erwinia herbicola* pv. *gypsophylae* **45:** 279–284
- Gal, A. *See* Fisher, T.
- Galilee, M. *See* Kaplan, D.
- Galun, M. and Mukhtar, A. Checklist of the lichens of Israel **44:** 195–218
- Ganapathi, A. *See* Kathiravan, K.
- Ganapathi, A. *See* Kulothungan, S.
- García del Pino, F. *See* Bosch, J.
- Garg, I.D. and Khurana, S.M.P. Plasmodesmal modifications and distribution of tospovirus in potato and tomato **47:** 245–250
- Gavalas, N., Bosabalidis, A.M., and Kokkini, S. Comparative study of leaf anatomy and essential oils of the hybrid *Mentha × villosa-nervata* and its parental species of *M. longifolia* and *M. spicata* **46:** 27–33
- Georgioui, K. *See* Thanos, C.A.
- Ghosh, M.K. and Srivastava, R.C. Effect of KCl on chlorophyll, total sugars, soluble protein, and in vivo nitrate reductase activity in leaves of *Quercus serrata* and correlation studies **43:** 63–68
- Ghosh, S. *See* Hall, J.A.
- Giurfa, M. and Vorobyev, M. The detection and recognition of color stimuli by honeybees: Performance and mechanisms **45:** 129–140
- Giurfa, M. *See* Vorobyev, M.
- Glass, A.D.M. and Fernando, M. Homeostatic processes for the maintenance of the K⁺ content of plant cells: A model **41:** 145–166
- Glick, B.R. *See* Hall, J.A.
- Goldschmidt, E.E. *See* Basnizki, J.
- Goloubinoff, P. *See* Lerner, H.R.
- González-Andrés, F. and Ortiz, J.-M. Morphometrical characterization of *Cytisus* and Allies (Genistae: Leguminosae) as an aid in taxonomic discrimination **44:** 95–114
- González-Andrés, F. and Ortiz, J.-M. RAPD analysis of shrubs belonging to the genus *Cytisus* and allies (Genistae: Fabaceae), as an aid for taxonomic discrimination **43:** 303–314
- González-Andrés, F. and Ortiz, J.M. Phenology of species belonging to the genus *Cytisus* and allies (Genistae: Leguminosae) **45:** 59–69

- González-Andrés, F. *See* Norverto, C.A.
 Gonzalez-Benito, M.E. *See* Perez-Garcia, F.
 Gottreich, M. *See* Tomer, E.
 Graur, D. *See* Abulafia, S.
 Graur, D. *See* Breiman, A.
 Guerra, J. *See* Martínez-Sánchez, J.-J.
 Gumbert, A. *See* Menzel, R.
 Gumbert, A. *See* Vorobyev, M.
 Guo, L. *See* Liu, D.
 Guo, Z. *See* Xie, D.
 Gupta, R.K. *See* Pandey, K.D.
 Gutman, M. *See* Kaplan, D. (x2)
 Gutterman, Y. and Evenari, M. The influences of amounts and distribution of irrigation during the hot and dry season on emergence and survival of some desert winter annual plants in the Negev Desert **42**: 1–14
 Gutterman, Y. and Nevo, E. Temperatures and ecological-genetic differentiation affecting the germination of *Hordeum spontaneum* caryopses harvested from three populations: The Negev Desert and opposing slopes on Mediterranean Mount Carmel **42**: 183–195
 Gutterman, Y. and Shem-Tov, S. Structure and function of the mucilaginous seed coats of *Plantago coronopus* inhabiting the Negev Desert of Israel **44**: 125–133
 Gutterman, Y. and Shem-Tov, S. The efficiency of the strategy of mucilaginous seeds of some common annuals of the Negev adhering to the soil crust to delay collection by ants **45**: 317–327
 Gutterman, Y. Environmental factors affecting flowering and fruit development of *Opuntia ficusindica* cuttings during the three weeks before planting **43**: 151–157
 Gutterman, Y. Flower and fruit developmental stages of the xerophyte *Opuntia ficusindica* **43**: 271–280
 Gutterman, Y. Long-term seed position influences on seed germinability of the desert annual, *Mesembryanthemum nodiflorum* L. **42**: 197–205
 Gutterman, Y. *See* Chauser-Volfson, E.
 Gutterman, Y. *See* Huang, Z.
 Gutterman, Y. Seed dispersal and germination strategies of *Spergularia diandra* compared with some other desert annual plants inhabiting the Negev Desert of Israel **42**: 261–274
 Gutterman, Y. The influences of depressions made by ibex on the annual vegetation along cliffs of the Zin Valley in the Negev Desert highlands, Israel **45**: 333–338
Hall, J.A., Peirson, D., Ghosh, S., and Glick, B.R. Root elongation in various agronomic crops by the plant growth promoting rhizobacterium *Pseudomonas putida* GR12-2 **44**: 37–42
 Hamzaoglu, E. *See* Aydogdu, M.
 Han, Y. *See* Wang, X.
 Hanagata, N., Takemura, T., Karube, I., and Dubinsky, Z. *Minireview*: Salt/water relationships in mangroves **47**: 63–76
 Hao, Y. *See* Liu, D.
 Haritonidis, S. *See* Malea, P.
 Herranz, J.-M. *See* Martínez-Sánchez, J.-J.
 Herranz, J.M. *See* Ferrandis, P.
 Herranz, J.M., Martinez-Sanchez, J.J., De Las Heras, J., and Ferrandis, P. Stages of plant succession in *Fagus sylvatica* L. and *Pinus sylvestris* L. forests of Tejera Negra Natural Park (central Spain), three years after fire **44**: 347–358
 Herrero-Borgoñón, J.J., Cristóbal, J.C., and Crespo, M.B. *Pennisetum clandestinum* hochst. ex Chiov. (Poaceae), an African grass in Europe **43**: 159–162
 Herzig, R. and Dubinsky, Z. Photoacclimation, photosynthesis, and growth in phytoplankton **41**: 199–212
 Hidalgo-Fernández, P.J., Pérez-Vicente, R., Maldonado, J.M., and Uberta-Jiménez, J.L. Mitochondrial DNA polymorphism and gynodioecy in a natural population of *Rosmarinus officinalis* L. **47**: 77–83
 Hodson, M.J. *See* Cocker, K.M.
 Hong, D. *See* Wang, X.
 Hong, D.-Y. *See* Zhou, S.-L.
 Honrubia, M. *See* Torres, P.
 Hoogendorn, J. *See* Orenstein, J.
 Huang, L., Millet, E., Rong, J., Wendel, J.F., Anikster, Y., and Feldman, M. Restriction fragment length polymorphism in wild and cultivated tetraploid wheat **47**: 213–224
 Huang, Z. and Gutterman, Y. Water absorption by mucilaginous achenes of *Artemisia monosperma*: Floating and germination as affected by salt concentrations **47**: 27–34
Iacumin, P. *See* Patrignani, G.
 Ibars, A.M. *See* Estrelles, E.
In Memoriam: Feinbrun-Dothan, Naomi **43**: 293
In Memoriam: Heyn, Clara **47**: i (2)
In Memoriam: Poljakoff-Mayber, Alexandra **43**: iii (2)
 Inocencio, C. *See* Alcaraz, F.
 Insarov, G. and Insarova, I. Assessment of lichen sensitivity to climate change **44**: 309–334
 Insarov, G. and Insarova, I. The lichens of calcareous rocks in the Central Negev, Israel **43**: 53–62
 Insarova, I. *See* Insarov, G.
 Iranzo, J. *See* Estrelles, E.
 Iriondo, J.M. and Pérez, C. Micropropagation and in vitro storage of *Centaureum Rigualii* Esteve (Gentianaceae) **44**: 115–123
 Iriondo, J.M. *See* Perez-Garcia, F.
 Israel, A.A. and Friedlander, M. Inorganic carbon utilization and growth abilities in the marine red macroalga *Gelidiopsis* sp. **46**: 117–124
 Iversen, T.-H. *See* Drozdowska, L.
 Izhaki, I. The relationships between fruit ripeness, wasp seed predation, and avian fruit removal in *Pistacia palaestina* **46**: 273–278
 Izhar, S. *See* Evenor, D.
Jaradat, A.A. Wild emmer wheat in Jordan: I. Ecotypes and phenotypic variation **45**: 31–37
 Jaradat, A.A. Wild emmer wheat in Jordan: II. Genetic distances between and within populations **45**: 39–44
 Jaradat, A.A. Wild emmer wheat in Jordan: III. A core collection **45**: 45–51
 Jayabalan N. *See* Mohamed, S.V.

- Jayabalan, N. *See* Venkatachalam, P.
- Jiang, W. and Liu, D. Effects of Pb²⁺ on root growth, cell division, and nucleolus of *Brassica juncea* L. **47**: 153–156
- Jiang, W. *See* Liu, D.
- Joel, D.M. *See* Losner-Goshen, D.
- Jordaan, A. and Kruger, H. Structure of xerophytic plants from southern Africa. Leaf anatomy of *Antizoma miersiana* and *Diospyros ramulosa* **41**: 57–65
- K**adis, C. *See* Thanos, C.A.
- Kadmon, R. Ecology of linear dunes: II. Differential demographic responses of annual plants to local scale variation in sand stability **42**: 275–284
- Kadmon, R. *See* Alon, G.
- Kafkafi, U. Combined irrigation and fertilization in arid zones **42**: 301–320
- Kamenetsky, R. and Akhmetova, M. Floral development of *Eremurus altaicus* (Liliaceae) **42**: 227–233
- Kang, S.S. *See* Chung, M.G.
- Kaplan, D. and Gutman, M. Effect of thinning and grazing on tree development and the visual aspect of an oak forest on the Golan Heights **44**: 381–386
- Kaplan, D., Pevzner, D., Galilee, M., and Gutman, M. Traditional selective harvesting effects on occurrence and reproductive growth of *Gundelia tournfortii* in Israel grasslands **43**: 163–166
- Kark, S. *See* Safriel, U.N.
- Karube, I. *See* Hanagata, N.
- Kasenene, J.M. *See* Oryem-Origa, H.
- Kashyap, A.K. *See* Pandey, K.D.
- Kathiravan, K. *See* Kulothungan, S.
- Kathiravan, K., Shajahan, A., and Ganapathi, A. Regeneration of plantlet from hypocotyl derived callus of *Morus alba* (L.) **43**: 259–262
- Katz, A. and Weiss, D. Light regulation of anthocyanin accumulation and chalcone synthase gene expression in petunia flowers **47**: 225–229
- Keasar, T., Bilu, Y., Motro, U., and Shmida, A. Foraging choices of bumblebees on equally-rewarding artificial flowers of different colors **45**: 223–233
- Keeley, J.E. and Baer-Keeley, M. Role of charred wood heat-shock, and light in germination of postfire phrygana species from the eastern Mediterranean Basin **47**: 11–16
- Kelber, A. and Pfaff, M. Spontaneous and learned preferences for visual flower features in a diurnal hawkmoth **45**: 235–245
- Ketenoglu, O. *See* Aydogdu, M.
- Kevan, P.G. *See* Dafni, A.
- Kevrekidis, T. *See* Malea, P.
- Khan, M.I. *See* Fazal, M.
- Khurana, S.M.P. *See* Garg, I.D.
- Kim, S.T. and Chung, M.G. Genetic and clonal diversity in Korean populations of *Calystegia soldanella* (Convolvulaceae) **43**: 213–226
- Kislev, M.E. *See* Chernoff, M.
- Kokkini, S. *See* Gavalas, N.
- Kolber, Z. *See* Sukenik, A.
- Kondratyuk, S.Y. *See* Navrotskaya, I.L.
- Kondratyuk, S.Ya. *See* Wasser, S.P.
- Korol, L. *See* Schiller, G.
- Kost, D. *See* Ben-Izhak Monselise, E.
- Kovalenko, O.V. *See* Vinogradova, O.N.
- Kruger, H. *See* Jordaan, A.
- Krusteva, D. *See* Nikova, V.
- Kukkonen, I. *See* Danin, A.
- Kulothungan, S., Ganapathi, A., Shajahab, A., and Kathiravan, K. Somatic embryogenesis in cell suspension culture of cowpea (*Vigna unguiculata* (L.) Walp) **43**: 385–390
- Kumari, B.D.R. and Veeranjanyulu, K. Changes in leaf water potential, osmotic adjustment, and proline metabolism in mulberry during water stress **44**: 135–141
- Kunik, T. *See* Gafni, Y.
- Kunze, J. *See* Menzel, R.
- Kunze, J. *See* Vorobyev, M.
- Kutiel, P. and Lavee, H. Effect of slope aspect on soil and vegetation properties along an aridity transect **47**: 169–178
- Kutiel, P. Annual vegetation of the coastal sand dunes of the northern Sharon, Israel **46**: 287–298
- Kutiel, P. Possible role of biogenic crusts in plant succession on the Sharon sand dunes, Israel **46**: 279–286
- Kutiel, P. Slope aspect effect on soil and vegetation in a Mediterranean ecosystem **41**: 243–250
- L**amont, B.B. *See* Weiss, M.R.
- Land, M.F. The resolution of insect compound eyes **45**: 79–91
- Lavee, H. *See* Kutiel, P.
- Lavee, S., Van Volkenburgh, E., and Cleland, R.E. Light-stimulated leaf growth on intact and excised bean plants (*Phaseolus vulgaris* L.) III. Effect of light intensity **47**: 231–236
- Lavee, S., Van Volkenburgh, E., and Cleland, R.E. Light-stimulated leaf growth on intact and excised bean plants (*Phaseolus vulgaris* L.). I. Characterization of basic responses **47**: 141–145
- Lavee, S., Van Volkenburgh, E., and Cleland, R.E. Light-stimulated leaf growth on intact and excised bean plants (*Phaseolus vulgaris* L.). II. Effect of light duration and timing of application **47**: 147–152
- Lehrer, M. Honeybee's use of spatial parameters for flower discrimination **45**: 157–167
- Lerner, H.R. *See* Amzallag, G.N.
- Lerner, H.R., Amzallag, G.N., Friedman, Y., and Goloubinoff, P. The response of plants to salinity: From turgor adjustments to genome modification **42**: 285–300
- Li, M. and Zhang, G. Effects of paclobutrazol on the morphology, structure, and chlorophyll content of regenerated plantlets of maize **47**: 85–88
- Lichter, A. *See* Gafni, Y.
- Ligero, F. *See* Ocaña, A.
- Lilien-Kipnis, H. *See* Vishnevetsky, J.
- Lipshchitz, N. The vegetational landscape of the Negev during antiquity as evident from archaeological wood remains **44**: 161–179

- Liphshitz, N. The arboreal vegetational landscape of Sinai during antiquity as evident from archaeological wood remains 46: 53–59
- Lipsker, Z. *See* Ronen, R.
- Liu, D. *See* Jiang, W.
- Liu, D., Jiang, W., Guo, L., Hao, Y., Lu, C., and Zhao, F. Effects of nickel sulfate on root growth and nucleoli in root tip cells of *Allium cepa* 42: 143–148
- Liu, D., Jiang, W., Tong, S., and Zhai, L. Effects of Mg^{2+} and Co^{2+} on cell division and nucleolar cycle during mitosis in root tip cells of *Allium cepa* 42: 235–243
- Liu, D., Jiang, W., Wang, W., and Zhai, L. Evaluation of metal ion toxicity on root tip cells by the *Allium* test 43: 125–133
- Livne, A. *See* Sukenik, A.
- Lledó, M.D., Crespo, M.B., and Amo-Marco, J.B. The role of cytokinins and ethylene inhibitors on lenticel hypertrophy generation and ethylene production in in vitro cultures of *Populus euphratica* Olivier 43: 339–345
- Lluch, C. *See* Ocaña, A.
- López Bernal, J. *See* Ríos, S.
- Loppi, S. and De Dominicis, V. Effects of agriculture on epiphytic lichen vegetation in Central Italy .. 44: 297–307
- Loppi, S. *See* Pirtintzos, S.A.
- Loppi, S., Pirtintzos, S.A., and De Dominicis, V. Analysis of the distribution of epiphytic lichens on *Quercus pubescens* along an altitudinal gradient in a mediterranean area (Tuscany, central Italy) 45: 53–58
- Losner-Goshen, D., Ben-Hod, G., Mayer, A.M., and Joel, D.M. Aseptic broomrape infection of tomato root culture 44: 89–94
- Lu, C. *See* Liu, D.
- Lundberg, B. and Olsvig-Whittaker, L. Patterns of variation in algal communities along the Mediterranean coast, Israel 46: 89–99
- Lundberg, B. and Popper, N. Algal vegetation in the Elat Coral Reef Reserve 47: 111–121
- Lurie, S. *See* Ronen, R.
- M**accherini, S., Chiarucci, A., Torri, D., Ristori, J., and De Dominicis, V. Influence of salt content of Pliocene clay soil on the emergence of six grasses 44: 29–36
- Magambo, M.J.S. *See* Oryem-Origa, H.
- Mahmood, I. *See* Siddiqui, Z.A.
- Makrypoulas, Chr. P. *See* Psaras, G.K.
- Maldonado, J.M. *See* Hidalgo-Fernández, P.J.
- Malea, P., Kevrekidis, T., and Haritonidis, S. The short-term uptake of zinc and cell mortality of the seagrass *Halophila stipulacea* (Forsk.) Aschers 43: 21–30
- Manulis, S. *See* Gafni, Y.
- Manwaring, J.H. *See* Caldwell, M.M.
- Marchiori, S. *See* Tornadore, N.
- Marcucci, R. *See* Tornadore, N.
- Mardiris, Th.A. *See* Pantis, J.D.
- Martínez-Sánchez, J.J. *See* Herranz, J.M.
- Martínez-Sánchez, J.-J., Herranz, J.-M., Guerra, J., and Trabaud, L. Influence of fire on plant regeneration in a *Stipa tenacissima* L. community in the Sierra Larga mountain range (SE Spain) 45: 309–316
- Martínez-Sánchez, J.J. *See* Ferrandis, P.
- Martínez-Solís, I. *See* Estrelles, E.
- Masini, A. *See* Pagni A.M.
- Matsukawa, R. *See* Perelman, A.
- Mayer, A.M. *See* Losner-Goshen, D.
- Menzel, R. *See* Vorobyev, M.
- Menzel, R., Gumbert, A., Kunze, J., Shmida, A., and Vorobyev, M. Pollinators' strategies in finding flowers 45: 141–156
- Millet, E. *See* Huang, L.
- Minero, F.J.G. *See* Candau, P.
- Mir, R.A. *See* Siddiqui, Z.A.
- Misirdali, H. *See* Ertekin, A.S.
- Mizrahi, Y. *See* Weiss, J.
- Mohamed, S.V. and Jayabalan, N. A Protocol for horsegram [*Macrotyloma Uniflorum* (Lam.) verdc.] callus induction 44: 143–145
- Mossa, L., Bacchetta, G., and Brullo, S. *Quercus ichnusae* (Fagaceae), a new species from Sardinia 47: 199–207
- Motro, U. *See* Keasar, T.
- Mukherjee, K. and Sen, B. Biological control of fusarium wilt of muskmelon by formulations of *Aspergillus niger* 46: 67–72
- Mukhtar, A. *See* Galun, M.
- N**achmias, A. *See* Amzallag, G.N.
- Nachmias, A. *See* Orenstein, J.
- Nachmias, A. *See* Tsror (Lahkim), L.
- Nakamura, S. *See* Sathiyamoorthy, P.
- Navrotskaya, I.L. *See* Wasser, S.P.
- Navrotskaya, I.L., Kondratyuk, S.Y., Wasser, S.P., Nevo, E., and Zelenko, S.D. Lichens and lichenicolous fungi new for Israel and other countries 44: 181–193
- Ne'eman, G. and Dafni, A. Fire, bees, and seed production in a Mediterranean key species *Salvia fruticosa* Miller (Miaceae) 47: 157–163
- Ne'eman, G. and Nesher, R. Pollination ecology and the significance of floral color change in *Lupinus pilosus* L. (Fabaceae) 43: 135–145
- Ne'eman, G. *See* Schiller, G.
- Negbi, M. *See* Yorgev, M.
- Nencioni, S. *See* Corsi, G.
- Nerd, A. *See* Weiss, J.
- Nesher, R. *See* Ne'eman, G.
- Nevo, E. *See* Gutterman, Y.
- Nevo, E. *See* Navrotskaya, I.L.
- Nevo, E. *See* Vinogradova, O.N.
- Nevo, E. *See* Wasser, S.P.
- Nevo, E., Fragman, O., Dafni, A., and Beiles, A. Biodiversity and interslope divergence of vascular plants caused by microclimatic differences at "Evolution Canyon", Lower Nahal Oren, Mount Carmel, Israel 47: 49–59
- Nieto Feliner, G. Growth-form and intraspecific taxonomy in western Mediterranean *Daphne* (Thymelaeaceae) 44: 369–379
- Nikova, V., Palakarcheva, M., Pundeva, R., and Krusteva, D. Somaclonal variation in cultured in vitro tobacco plants from the hybrid *Nicotiana glauca* Domin. × *N. tabacum* L.

- 46: 35–40
- Noonan, M.J. *See* Siefkes-Boer, H.J.
- Norverto, C.A., González-Andrés, F., and Ortiz, J.M. Leaf and stem anatomy of species of *Cytisophyllum*, *Cytisus*, *Chamaecytisus*, *Genista*, and *Genista* sect. *Teline* (Fabaceae: Genisteae) as an aid for taxonomy 42: 213–225
- Novoplansky, A. *See* Sachs, T.
- O**caña, A., Caba, J.M., Ligeró, F., and Lluch, C. Nitrogen fixation and carbon metabolism in *Vicia faba* root nodules over ontogeny 47: 35–41
- Ofir, M. and Dorenfeld, Y. Induction of summer-dormancy in *Poa bulbosa* L. under natural environment and subsequent controlled photo-thermal conditions 41: 265–277
- Ohana, O. and Weiss, D. Environmental and physiological factors regulate *Eryngium planum* flowering 46: 47–51
- Ohta, S. Hybrid sterility as a reproductive barrier isolating the two subspecies of *Aegilops geniculata* Roth (Gramineae) 47: 89–95
- Olsvig-Whittaker, L. *See* Einav, R.
- Olsvig-Whittaker, L. *See* Lundberg, B.
- Ophir, Y. *See* Gafni, Y.
- Orcan, N. A new *Alyssum* record for the flora of Turkey 47: 293–296
- Orcan, N. *See* Ertekin, A.S.
- Orenstein, J., Nachmias, A., Colon, L.T., and Hoogendorn, J. The effect of a *Verticillium dahliae* phytotoxin on germination of potato pollen 42: 29–36
- Orsenigo, M. *See* Patrignani, G.
- Orth, A.I. and Waddington, K.D. Hierarchical use of information by nectar-foraging carpenter bees on vertical inflorescences: Floral color and spatial position 45: 213–221
- Ortiz, J.-M. *See* González-Andrés, F. (x3)
- Ortiz, J.M. *See* Norverto, C.A.
- Oryem-Origa, H., Magambo, M.J.S., and Kasenene, J.M. Wild robusta coffee (*Coffea canephora* Froehner) seedling recruitment and survival in Kibale National Park, Uganda 46: 189–198
- P**agni, A.M. and Masini, A. Morphology, distribution, and histochemistry of secretory structures in vegetative organs of *Santolina leucantha* Bertol. (Asteraceae) . 47: 257–263
- Pagnotta, M.A., Cocks, P.S., and Snaydon, R.W. The breeding systems of three annual clovers native to north Syria 43: 347–358
- Palakarcheva, M. *See* Nikova, V.
- Pan, K.-Y. *See* Zhou, S.-L.
- Pandey, K.D., Kashyap, A.K., and Gupta, R.K. Nitrogen fixation by cyanobacteria associated with moss communities in Schirmacher Oasis, Antarctica 41: 187–198
- Pantazi, C. *See* Thanos, C.A.
- Pantis, J.D. and Mardiris, Th.A. The effects of grazing and fire on degradation processes of Mediterranean ecosystems 41: 233–242
- Paraskevopoulos, S. *See* Arianoutsou, M.
- Park, K.B. *See* Chung, M.G.
- Patrignani, G., Carraro, L., Iacumin, P., and Orsenigo, M. Leaf morphology and carbon isotope discrimination values in purple spurge (*Euphorbia peplis* L.) 44: 11–18
- Peirson, D. *See* Hall, J.A.
- Perelman, A., Matsukawa, R., Schlosberg, M., Cohen, B., Fostik-Magyar, C., and Dubinsky, Z. Natural antioxidant activity in some microalgal species 46: 169–176
- Perez, C. *See* Perez-Garcia, F.
- Pérez, C. *See* Iriondo, J.M.
- Pérez-Corona, M.E. and Verhoeven, J.T.A. Biomass allocation and phosphorus productivity of *Carex* species in relation to soil phosphorus status 47: 97–102
- Perez-Garcia, F., Iriondo, J.M., Gonzalez-Benito, M.E., Carnes, L.F., Tapia, J., Prieto, C., Plaza, R., and Perez, C. Germination studies in endemic plant species of the Iberian Peninsula 43: 239–247
- Pérez-Garcia, F. and Escudero, A. Role of the seed coat in germination of *Cistus populifolius* L. 45: 329–331
- Pérez-Vicente, R. *See* Hidalgo-Fernández, P.J.
- Persson, K. *Colchicum feinbruniae* sp. nov. and allied species in the Middle East 41: 75–86
- Pevzner, D. *See* Kaplan, D.
- Pfaff, M. *See* Kelber, A.
- Pick, U. *Dunaliella*—A model extremophilic alga 46: 131–139
- Pinthus, M.J. *See* Beharav, A.
- Pirintsos, S.A. *See* Loppi, S.
- Pirintsos, S.A., Loppi, S., Dalaka, A., and De Dominicis, V. Effects of grazing on epiphytic lichen vegetation in a Mediterranean mixed evergreen sclerophyllous and deciduous shrubland (northern Greece) 46: 303–307
- Plaut, Z. Sensitivity of crop plants to water stress at specific developmental stages: Reevaluation of experimental findings 43: 99–111
- Plaza, R. *See* Perez-Garcia, F.
- Plitmann, U. *See* Chernoff, M.
- Plitmann, U., Gabay, R., and Cohen, O. Innovations in the tribe Viciae (Fabaceae) from Israel 43: 249–258
- Pollingher, U. *See* Berman, T.
- Pollingher, U., Zohary, T., and Fishbein, T. Algal flora in the Hula Valley—Past and present 46: 155–168
- Popper, N. *See* Lundberg, B.
- Porat, R. *See* Sukenik, A.
- Prasil, O. *See* Sukenik, A.
- Prieto, C. *See* Perez-Garcia, F.
- Psaras, G.K., Diamantopoulos, G.S., and Makrypoulas, Chr.P. Chloroplast arrangement along intercellular air spaces 44: 1–9
- Pundeva, R. *See* Nikova, V.
- R**ai, A.K. *See* Dubey, A.K.
- Rajput, K.S. and Rao, K.S. Nucleated xylem fibers in some Indian species 47: 265–268
- Rajput, K.S. and Rao, K.S. Occurrence of intercellular spaces in cambial rays 46: 299–302
- Ramamoorthy, J. Chong, D.K., and Chinnappa, C.C. Comparative assessment of genetic diversity in wild and cultivated barley using ribosomal DNA spacer length variants 42: 115–123

- Ramonedá, J. *See* Bosch, J.
- Rao, K.S. *See* Rajput, K.S. (x2)
- Raviv, V. and Lorch, Y. Mesozoic Dasycladaceae (*Chlorophyceae*) from Israel 41: 1–54
- Raza, M.A. *See* Fazal, M.
- Renard, P. *See* Traubaud, L.
- Retana, J. *See* Bosch, J.
- Riccuccu, M. *See* Chiarucci, A.
- Ríos, S. *See* Alcaraz, F.
- Ríos, S., Alcaraz, F., López Bernal, J., and Rivera, D. A new species of *Hedysarum* L. Sect. *Subacaulia* (Boiss.) B. Fedtsch for the Western Mediterranean zone (Southern Spain) 46: 223–228
- Ristori, J. *See* Maccherini, S.
- Rivera, D. *See* Ríos, S.
- Roessler, P.G. *See* Sukenik, A.
- Romero, L. *See* Valenzuela, J.L.
- Ronen, R., Lipsker, Z., Sonogo, L., and Lurie, S. Plasma membrane ATPase isolated from green bell pepper fruit by two-phase partitioning or sucrose density gradient 42: 15–27
- Rong, J. *See* Huang, L.
- Rosin, C. *See* Sukenik, A.
- Rosselló, J.A. *See* Almeida da Silva, R.M.
- Rout, G.R. *See* Samantaray, S.
- Rout, G.R., Samantaray, S., and Das, P. Effect of growth regulators and culture environment of somatic embryo genesis of *Acacia catechu* Willd 43: 263–269
- Rout, G.R., Samantaray, S., and Das, P. Regeneration of *Trema orientalis* (Blume) Linn.: Effect of growth regulators, culture conditions, and age and source of explants 43: 391–395
- Rubin, B. *See* Yogeve, M.
- Sachs, T. and Novoplansky, A. Tree form: Architectural models do not suffice 43: 203–212
- Safriel, U.N., Volis, S., and Kark, S. Core and peripheral populations and global climate change 42: 331–345
- Sahin, F.P. *See* Ezer, N.
- Sales, F. A reassessment of the *Bromus madritensis* complex (Poaceae): A multivariate approach 42: 245–255
- Salomon, R. *Opinion*: The evolutionary advantage of breeding for tolerance over resistance against viral plant disease 47: 135–139
- Samantaray, S. *See* Rout, G.R.
- Samantaray, S., Rout, G.R., and Das, P. Manganese toxicity in *Echinochloa colona*: Effects of divalent manganese on growth and development 45: 9–12
- Sánchez, A. *See* Valenzuela, J.L.
- Sangster, A.G. *See* Cocker, K.M.
- Sathiyamoorthy, P. and Nakamura, S. *Minireview*: Free-radical-induced lipid peroxidation in seeds 43: 295–302
- Schafferman, D. *See* Yaniv, Z.
- Schiller, G. and Brunori, A. Aleppo pine (*Pinus halepensis* Mill.) in Umbria (Italy) and its relation to native Israeli populations 41: 123–127
- Schiller, G. and Korol, L. Electrophoretic analysis of diversity within *Cupressus sempervirens* L. growing in Israel 45: 1–8
- Schiller, G. Effect of seed origin on growth of *Eucalyptus microtheca* F. Muell. in Israel 43: 31–40
- Schiller, G., Ne'eman, G., and Korol, L. Post-fire vegetation dynamics in a native *Pinus halepensis* Mill. forest on Mt. Carmel, Israel 45: 297–308
- Schlosberg, M. *See* Perelman, A.
- Schneider, J.C. *See* Sukenik, A.
- Scholz, H. *See* Danin, A.
- Schulgasser, K. *See* Witztum, A.
- Schwartz, M., Altman, A., Cohen, Y., and Arzee, T. Inhibition of polyamine biosynthesis by L-canavanine and its effect on meristematic activity, growth, and development of *Zea mays* roots 45: 23–30
- Sen, B. *See* Mukherjee, K.
- Sesli, E. Two new records of Cantharelloid fungi for Turkey 45: 71–74
- Shajahab, A. *See* Kulothungan, S.
- Shajahan, A. *See* Kathiravan, K.
- Sharma, U.K. *See* Agrawal, S.C.
- Sharon, Y. *See* Einav, R.
- Shem-Tov, S. *See* Gutterman, Y. (x2)
- Shmida, A. *See* Keasar, T.
- Shmida, A. *See* Menzel, R.
- Shmida, A. *See* Wolfe, L.M.
- Shtereva, L. *See* Sotirova, V.
- Siddiqui, Z.A. and Mahmood, I. Biological control of *Heterodera cajani* and *Fusarium udum* on pigeonpea by *Glomus mosseae*, *Trichoderma harzianum*, and *Verticillium chlamydosporium* 44: 49–56
- Siddiqui, Z.A. *See* Fazal, M.
- Siddiqui, Z.A., Mir, R.A., and Mahmood, I. Effects of *Meloidogyne incognita*, *Fusarium oxysporum* f.sp. *pisi*, *Rhizobium* sp., and different soil types on growth, chlorophyll, and carotenoid pigments of pea 47: 251–256
- Siefkes-Boer, H.J., Noonan, M.J., Bullock, D.W., and Conner, A.J. Hairy root transformation system in large-seeded grain legumes 43: 1–5
- Snaydon, R.W. *See* Pagnotta, M.A.
- Sonogo, L. *See* Ronen, R.
- Sotirova, V., Shtereva, L., Zagorska, N., Dimitrov, B., and Bogatsevska, N. Resistance responses of plants regenerated from tomato anther and somatic tissue cultures to *Clavibacter michiganense* subsp. *michiganense* 47: 237–243
- Srivastava, R.C. *See* Ghosh, M.K.
- Steyn, H.M., van Rooyen, N., van Rooyen, M.W., and Theron, G.K. The prediction of phenological stages in four Namaqualand ephemeral species using thermal unit indices 44: 147–160
- Sukenik, A. *See* Berner, T.
- Sukenik, A., Rosin, C., Porat, R., Teltsch, B., Banker, R., and Carmeli, S. Toxins from cyanobacteria and their potential impact on water quality of Lake Kinneret, Israel 46: 109–115
- Sukenik, A., Schneider, J.C., Roessler, P.G., Livne, A., Berner, T., Kolber, Z., Wyman, K., Prasil, O., and Falkowski, P.G. Photosynthetic characterization of a mu-

- tant of *Nannochloropsis* deficient in the synthesis of eicosapentaenoic acid 46: 101–108
- T**abib, Y. *See* Evenor, D.
- Takemura, T. *See* Hanagata, N.
- Tapia, J. *See* Perez-Garcia, F.
- Teltsch, B. *See* Sukenik, A.
- Thangstad, O.P. *See* Drozdowska, L.
- Thanos, C.A. and Doussi, M.A. Ecophysiology of seed germination in endemic labiates of Crete 43: 227–237
- Thanos, C.A., Georghiou, K., Kadis, C., and Pantazi, C. Cistaceae: A plant family with hard seeds 41: 251–263
- Theron, G.K. *See* Steyn, H.M.
- Toker, M.C. *See* Ezer, N.
- Tomer, E., Cohen, M., and Gottreich, M. Light and scanning electron microscope (SEM) observations of trichomes in persimmon (*Diospyros kaki* L.) and mango (*Mangifera indica* L.) leaves 44: 57–67
- Tong, S. *See* Liu, D.
- Topcuoglu, S.F. *See* Ünyayar, S.
- Tornadore, N., Marcucci, R., and Marchiori, S. *Aegialophila pumila* (L.) Boiss. (Asteraceae): A new species in Italy 46: 61–65
- Torres, P. and Honrubia, M. Ectomycorrhizal associations proven for *Pinus halepensis* 42: 51–58
- Torri, D. *See* Maccherini, S.
- Trabaud, L. and Renard, P. Do light and litter influence the recruitment of *Cistus* spp. stands? 47: 1–9
- Trabaud, L. *See* Martínez-Sánchez, J.-J.
- Tsarenko, P.M. *See* Wasser, S.P.
- Tsrer (Lahkim), L. and Nachmias, A. Significance of the root system in Verticillium wilt tolerance in potato and resistance in tomato 43: 315–323
- U**bera-Jiménez, J.L. *See* Hidalgo-Fernández, P.J.
- Ünyayar, S., Topcuoglu, S.F., and Bozcuk, S. Absciscic acid production by *Pleurotus florida* cultured in various conditions and its relations to growth 45: 19–22
- V**alenzuela, J.L., Sánchez, A., del Rio, A., and Romero, L. Relationships between nitrogen supply and different phosphorus and calcium fractions in leaves of tomato and cucumber plants 41: 67–74
- Van Volkenburgh, E. *See* Lavee, S.
- van Rooyen, M.W. *See* Steyn, H.M.
- van Rooyen, N. *See* Steyn, H.M.
- Veeranjaneyulu, K. *See* Kumari, B.D.R.
- Venkatachalam, P. and Jayabalan, N. Efficient callus induction and plant regeneration via somatic embryogenesis from immature leaf-derived protoplasts of groundnut (*Arachis hypogaea* L.) 44: 387–396
- Verhoeven, J.T.A. *See* Pérez-Corona, M.E.
- Vinogradova, O.N. *See* Wasser, S.P.
- Vinogradova, O.N., Kovalenko, O.V., Wasser, S.P., Nevo, E., and Weinstein-Evron, M. Species diversity gradient to darkness stress in blue-green algae/cyanobacteria: A microscale test in a prehistoric cave, Mount Carmel, Israel 46: 229–238
- Virchenko, V.M. *See* Wasser, S.P.
- Vishnevetsky, J., Lilien-Kipnis, H., Azizbekova, N., and Ziv, M. Bulb and inflorescence development in *Nerine sarniensis* 45: 13–18
- Volis, S. *See* Safriel, U.N.
- Volz, P.A. and Wasser, S.P. Soil micromycetes of selected areas of Israel 43: 281–290
- Volz, P.A. *See* Wasser, S.P.
- Vorobyev, M. and Brandt, R. How do insect pollinators discriminate colors? 45: 103–113
- Vorobyev, M. *See* Giurfa, M.
- Vorobyev, M. *See* Menzel, R.
- Vorobyev, M., Gumbert, A., Kunze, J., Giurfa, M., and Menzel, R. Flowers through insect eyes 45: 93–101
- W**addington, K.D. *See* Orth, A.I.
- Wang, W. *See* Liu, D.
- Wang, X., Han, Y., and Hong, D. PCR-RFLP analysis of the chloroplast gene *trnK* in the Pinaceae, with special reference to the systematic position of *Cathaya* ... 46: 265–271
- Waser, N.M. *See* Chittka, L.
- Wasser, S.P. *See* Navrotskaya, I.L.
- Wasser, S.P. *See* Vinogradova, O.N.
- Wasser, S.P. *See* Volz, P.A.
- Wasser, S.P. Species diversity in the tribe Agariceae Pat. (higher Basidiomycetes) of Israel mycobiota 46: 315–330
- Wasser, S.P., Nevo, E., Vinogradova, O.N., Navrotskaya, I.L., Ellanskaya, I.A., Volz, P.A., Virchenko, V.M., Tsarenko, P.M., and Kondratyuk, S.Ya. Diversity of cryptogamic plants and fungi in “Evolution Canyon”, Nahal Oren, Mount Carmel Natural Preserve, Israel 43: 367–383
- Weinstein-Evron, M. *See* Vinogradova, O.N.
- Weiss, D. *See* Katz, A.
- Weiss, D. *See* Ohana, O.
- Weiss, J., Nerd, A., and Mizrahi, Y. Flowering and pollination requirements in *Cereus peruvianus* cultivated in Israel 42: 149–158
- Weiss, M.R. and Lamont, B.B. Floral color change and insect pollination: A dynamic relationship 45: 185–199
- Wendel, J.F. *See* Huang, L.
- Wetzstein, H.Y. *See* Eisikowitch, D.
- Witzum, A. and Schulgasser, K. Seed dispersal ballistics in *Blepharis ciliaris* 43: 147–150
- Wolfe, L.M. and Shmida, A. Regulation of gender and flowering behavior in a sexually dimorphic desert shrub (*Ochradebus baccatus* Delile [Resedaceae]) 43: 325–337
- Wolfe, L.M. Regulation of sex expression in desert and Mediterranean populations of an andromonoecious plant (*Gagea chlorantha*, Liliaceae) 46: 17–25
- Wyman, K. *See* Sukenik, A.
- X**ie, D. and Guo, Z. Zygotic embryo culture of *Taxus chinensis* var. *mairei* and plant regeneration through organogenesis 47: 289–291
- Y**aniv, Z., Ecker, R., and Schafferman, D. Earliness and lateness of flowering in *Matthiola incana*, and their rela-

- tionship to oil quantity of mature seeds **41**: 279–284
- Yildiz, B., Çiplak, B., and Aktokluc, E. Fruit morphology of sections of the genus *Onobrychis* Miller (Fabaceae) and its phylogenetic implications **47**: 269–282
- Yogev, M., Rubin, B., and Negbi, M. Hormonal induced transformation of the tuberous purple nutsedge (*Cyperus rotundus* L.) into a tuber-less phenotype **44**: 19–28
- Z**agorska, N. *See* Sotirova, V.
- Zelcer, A. *See* Evenor, D.
- Zelenko, S.D. *See* Navrotskaya, I.L.
- Zhai, L. *See* Liu, D. (x2)
- Zhang, G. *See* Li, M.
- Zhao, F. *See* Liu, D.
- Zhou, S.-L., Pan, K.-Y., and Hong, D.-Y. Pollen and nutlet morphology in *Mosla* (Labiatae) and their systematic value **45**: 343–350
- Ziv, M. *See* Vishnevetsky, J.
- Zohary, T. *See* Berman, T.
- Zohary, T. *See* Pollingher, U.

- abscisic acid 45: 19–22
Acacia catechu 43: 263–279
 achenes, mucilaginous 47: 27–34
 adaptation 42: 125–141
Aegialophila pumila 46: 61–65
Aegilops cylindrica 42: 257–259
Aegilops geniculata 47: 89–95
 Africa 41: 57–65
 Africa, South *see* South Africa
 Agariceae Pat. (Higher Basidiomycetes) 46: 315–330
 agriculture, effects of 44: 297–307
 algae 43: 41–51, 46: 117–124, 46: 131–139, 47: 111–121
 blue-green 46: 229–238
 communities 46: 89–99
 Dunaliella 46: 131–139
 marine red macroalga *Gelidiopsis* sp. 46: 117–124
 macroalgae 46: 125–130
 microalgal species 46: 169–176
 morphology 46: 177–180
 see also cyanobacteria
 algal flora 46: 155–168
Allium 43: 125–133
Allium cepa 42: 143–148, 42: 235–243
Aloe arborescens 44: 289–296
 aluminum 45: 285–292
Alyssum 47: 293–296
Ambrosia confertiflora 42: 59–61
Ambrosia tenuifolia 42: 59–61
 ammonium ion assimilation 46: 255–264
Amphicoma spp. beetles 45: 247–254
Anabaena doliolum 43: 41–51
 anatomy 42: 213–225, 47: 189–194
 annual vegetation 42: 1–14, 42: 275–284, 46: 287–298
 Antarctica 41: 187–198
Antizoma miersiana 41: 57–65
 ants 45: 317–327
 Aphyllophorales 46: 309–313
Arachis Hypogaea 44: 387–396
 arid zones ... 42: 1–14, 42: 261–274, 42: 301–320, 46: 17–25
 aridity 47: 169–178
Artemisia monosperma 47: 27–34
Artemisia nitida 43: 359–365
 artichoke 42: 159–166
Aspergillus niger 46: 67–72
 Asteraceae 41: 129–133, 42: 89–103, 46: 61–65
 ATPase 42: 15–27
Aulosira fertilissima 43: 41–51
 Auriculariales 46: 309–313

Ballota nigra 47: 43–48
 barbaloin 44: 289–296
 barley 42: 115–123
 Basidiomycetes, higher 46: 315–330
 bean plants 47: 141–145, 47: 147–152, 47: 231–236
 bee vision *see* insect vision
 beetles 45: 247–254
 biodiversity 47: 49–59
 biofertilizers 43: 41–51
 biogenic crusts 46: 279–286
 biomass 47: 97–102
 biosynthesis 46: 147–153
 birds 46: 273–278
Blepharis ciliaris 43: 147–150
Boodleopsis pusilla 46: 81–82
Brassica juncea 47: 153–156
Bromus commutatus 42: 257–259
Bromus madritensis 42: 245–255
 broomrape infection 44: 89–94

 Caesalpinioideae 47: 283–287
 calcium 41: 67–74
 callus 43: 259–262, 45: 293–296, 47: 195–198
 induction 44: 143–145, 44: 387–396
Calotropis gigantea 42: 167–168
Calystegia soldanella 43: 213–226
 cambium 43: 69–75, 46: 299–302
 carbon
 effect of 46: 255–264
 inorganic 46: 83–87, 46: 117–124
 metabolism 47: 35–41
Carex 47: 97–102
 carob 44: 359–368
 carotenoid pigments 47: 251–256
Cathaya 46: 265–271
Caulerpa prolifera 46: 81–82
 Caulerpales 46: 81–82
 cDNA encoding 44: 77–88
 cell
 division 42: 235–243, 47: 153–156
 mortality 43: 21–30
 wall 46: 147–153
Centaurea hyalolepis 41: 129–133
Centaurium Rigualii 44: 115–123
 Ceratobasidiales 46: 309–313
Ceratonía siliqua 44: 359–368
Cereus peruvianus 42: 149–158
 Cesalpinaeae 44: 359–368
Chaetophora attenuata 44: 43–48
Chamaecytisus 42: 213–225
 chickpea 42: 207–211
Chimaphila japonica 44: 259–271
 Chlorophyceae 41: 1–54
 chlorophyll 43: 63–68, 47: 251–256
 Chlorophyta 46: 81–82

- chloroplast 44: 1–9
 chromosomal stability 47: 195–198
 chrysanthemum 46: 199–207
 Cistaceae 41: 251–263
Cistus populifolius 45: 329–331
Cistus spp. 47: 1–9
Clavibacter michiganense 47: 237–243
 climate 42: 331–345, 47: 49–59
 change, sensitivity to 44: 309–334
 clonal diversity 43: 213–226, 44: 259–271
 clovers 43: 347–358
 coastal sand dunes 46: 287–298
 cobalt 42: 235–245
 coffee 46: 189–198
Coffea canephora 46: 189–198
Colchicum feinbruniae 41: 75–86
 computerized image analysis 46: 177–180
 copper 42: 235–245
 cowpea 43: 385–390
 Crete 43: 227–237
 cryptogamic plants 43: 367–383
 cucumber 41: 67–74
Cucumis melo 43: 113–123
Cucumis metuliferus 43: 113–123
Cupressus sempervirens 45: 1–8
 cyanobacteria 41: 187–198, 46: 109–115,
 46: 229–238, 46: 239–254
 see also algae
 Cyanophyta (cyanobacteria) 46: 239–254
Cymbopogon polyneuros 47: 195–198
Cynara scolymus 42: 159–166
Cyperus rotundus 44: 19–28
Cyperus sharonensis 43: 77–82
Cytisophyllum 42: 213–225
Cytisus ... 42: 213–225, 43: 303–314, 44: 95–114, 45: 59–69
 cytokinins 43: 339–345
- Daphne* 44: 369–379
 Dasycladaceae 41: 1–54
Diospyros kaki 44: 57–67
Diospyros ramulosa 41: 57–65
 diversity 45: 1–8
 DNA spacer length 42: 115–123
 dormancy, induction of 41: 265–277
Dunaliella 46: 131–139
- East Mediterranean maquis 44: 335–345
Echinochloa colona 45: 9–12
 ecology
 linear dunes 42: 275–284
 ecosystems 41: 135–144, 41: 233–284
 Greece, northeastern 41: 135–144
 Mediterranean 41: 233–242, 41: 243–250
 ectomycorrhizal 42: 51–58
 Elat, Israel 47: 111–121
- electrophoretic analysis 45: 1–8
 embryogenesis 43: 263–269, 43: 385–390,
 44: 387–396, 47: 289–291
 environment 46: 213–221
Eremurus altaicus 42: 227–233
Erwinia herbicola 45: 279–284
Eryngium planum 46: 47–51
 essential oils 46: 27–33
 ethylene 43: 339–345
Eucalyptus microtheca 43: 31–40
Euphorbia peplis 44: 11–18
 evolution 43: 1–5, 43: 85–98, 47: 135–139
 Evolution Canyon, Israel
 cryptogamic plants in 43: 367–383
 fungi in 43: 367–383
 see also Mount Carmel, Israel
- Fabaceae 42: 213–225, 43: 249–258,
 43: 303–314, 47: 283–287
 Fagaceae 47: 199–207
Fagus sylvatica 44: 347–358
 fencing 46: 41–46
 fertilization, in arid zones 42: 301–320
 fire 41: 233–242, 44: 347–358, 45: 297–308,
 45: 309–316, 47: 11–16, 47: 157–163, 47: 17–26
 flower
 anthocyanin in 47: 225–229
 color change 43: 135–145
 discrimination 45: 93–101, 45: 146–156, 45: 157–167
 red 45: 169–183
 size and shape 45: 201–212
 flowering 41: 279–284, 42: 149–158,
 42: 159–166, 46: 47–51
 intensity 46: 41–46
 in *Ochradenus baccatus* 43: 325–337
 in *Opuntia ficusindica* 43: 151–157, 43: 271–280
 folk medicine 47: 43–48
 foraging 45: 223–233
 fruit
 development 43: 151–157, 43: 271–280
 ripeness 46: 273–278, 44: 359–368
 fruiting phenology 44: 359–368
 fungi 43: 367–383, 46: 309–313
 Cantharelloid 45: 71–74
 lichenicolous 44: 181–193
Fusarium oxysporum 42: 207–211, 47: 251–256
Fusarium udum 44: 49–56
 fusarium wilt 46: 67–72
- Gagea chlorantha* 46: 17–25
 galls 47: 189–194
Gelidiopsis sp. 46: 117–124
 genetic diversity 42: 115–123, 44: 259–271, 46: 181–187
 in *Calystegia soldanella* 43: 213–226
 genetics 46: 209–212

- Genista* 42: 213–225
Genista florida 47: 189–194
 Genisteae 43: 303–314, 44: 95–114, 45: 59–69
 Gentianaceae 44: 115–123
 germination 43: 239–247, 45: 329–331,
 47: 27–34, 47: 165–168
Hordeum spontaneum 42: 183–195
Spergularia diandra 42: 261–274
 potato 42: 29–36
 gibberellin A₃ 42: 159–166
 Glaphyridae 45: 247–254
Glomus mosseae 44: 49–56
 Golan Heights, Israel 44: 381–386
 grass 42: 257–259, 43: 159–162, 44: 29–36
 grasslands 43: 163–166
 grazing 41: 233–242, 44: 381–386, 46: 303–307
 Greece 41: 135–144, 46: 303–307
 groundnut 44: 387–396
 growth 45: 9–12, 45: 19–22, 46: 117–124, 47: 251–256
 growth regulators 43: 263–269
Gundelia tournfortii 43: 163–166
 gynodioecy 47: 77–83
- Halophila stipulacea* 43: 21–30
 harvesting, selective 43: 163–166
 hawkmoth 45: 235–245
 heat-shock 47: 11–16
Hedysarum 46: 223–228
Heterodera cajani 44: 49–56
Hoffmannseggia 47: 283–287
 homeostatic processes 41: 145–166
Hordeum spontaneum 42: 183–195
 hormone-induced transformation 44: 19–28
Hosta capitata 46: 181–187
Hosta minor 46: 181–187
 Hula Valley, Israel 46: 155–168
 Hyacinthaceae 47: 103–110
 hybridization, interspecific barriers to 43: 113–123
 hybrid sterility 47: 89–95
 hydraulic lift 42: 321–330
- Iberian Peninsula 43: 239–247
 ibex 45: 333–338
 India 43: 41–51, 47: 265–268
 infection 44: 89–94
 insect vision 45: 79–91, 45: 93–101, 45: 103–113,
 45: 115–127, 45: 129–140, 45: 141–156,
 45: 157–167, 45: 169–183, 45: 185–199, 45: 201–211,
 45: 213–221, 45: 223–233, 45: 235–245, 45: 247–254
 irrigation 42: 1–14
 in arid zones 42: 301–320
 Israel 42: 59–61, 43: 31–40, 43: 163–166, 43: 249–258,
 43: 281–290, 43: 367–383, 44: 181–193, 44: 195–218, 45: 1–8,
 45: 333–338, 46: 239–254, 46: 279–286, 46: 287–298
 coast 46: 81–82
- Italy 41: 123–127, 43: 7–20, 44: 297–307,
 45: 53–58, 46: 61–65, 46: 213–221
- Jordan 45: 31–37, 45: 39–44, 45: 45–51, 47: 179–187
 Judean Desert, Israel 42: 37–40
- Korea 43: 213–226
- Labiatae 45: 343–350
 labiates 43: 227–237
 Lake Kinneret, Israel 46: 73–80, 46: 109–115
 Lamiaceae 47: 157–163
Lathyrus 45: 339–341
 lead 47: 153–156
 leaf 43: 63–68, 44: 135–141, 44: 289–296
 anatomy 41: 57–65, 42: 213–225, 46: 27–33
 growth 47: 141–145, 47: 147–152, 47: 231–236
 mango 44: 57–67
 morphology 44: 11–18
 persimmon 44: 57–67
 water potential 44: 135–141
 legumes 43: 1–5
 Leguminosae 44: 95–114, 45: 59–69, 47: 189–194
 Lemnaceae 46: 255–264
 lenticel hypertrophy 43: 339–345
 lichen 43: 53–62, 44: 181–193, 44: 195–218,
 44: 297–307, 44: 309–334, 46: 303–307
 distribution 45: 53–58
 epiphytic 45: 53–58
 lichenicolous fungi 44: 181–193
 light 47: 1–9, 47: 11–16, 47: 141–145, 47: 147–152
 effect of 46: 255–264
 intensity 47: 231–236
 Liliaceae 42: 227–233, 46: 17–25, 46: 181–187
 lipid peroxidation
 in seeds 43: 295–302
 litter 47: 1–9
Lupinus pilosus 43: 135–145
- macrophytes, marine 46: 83–87
Macrotyloma uniflorum 44: 143–145
 magnesium 42: 235–245
 maize 47: 85–88
 manganese 45: 9–12
Mangifera indica 44: 57–67
 mango 44: 57–67
 mangroves 47: 63–76
 maquis 41: 135–144, 44: 335–345, 47: 17–26
 marine red macroalga 46: 117–124
Matthiola incana 41: 279–284
 medicine, folk 47: 43–48
 Mediterranean 46: 17–25, 46: 125–130, 46: 223–228,
 46: 303–307, 46: 331–335

- coast, Israel 46: 89–99
ecosystems 41: 233–242, 41: 243–250
Meliodogyne incognita 47: 251–256
Meloidogyne javanica 42: 207–211
Mentha longifolia 46: 27–33
Mentha spicata 46: 27–33
Mesembryanthemum nodiflorum 42: 197–205
Mesozoic 41: 1–54
metabolism 44: 135–141
metal ion toxicity 43: 125–133
microalgal species 46: 169–176
microclimate 47: 49–59
micromycetes 43: 281–290
mitochondrial ATP synthase 44: 77–88
mitochondrial DNA 47: 77–83
mitochondrial membrane 42: 173–181
mitosis 42: 235–243
morphology 47: 189–194
 nutlet 45: 343–350
 pollen 45: 343–350
Mosla 45: 343–350
moss 41: 187–198
moth
 hawkmoth 45: 235–245
Mount Carmel, Israel 41: 243–250, 42: 183–195,
 45: 297–308, 46: 229–238, 47: 49–59
 see also Evolution Canyon, Israel
mucilaginous achenes 47: 27–34
mulberry 44: 135–141
muskmelon 46: 67–72
mutation 46: 199–207
mycobiota 46: 315–330
myrosin 41: 213–223
myrosinase 41: 213–223

Namaqualand 44: 147–160
see also South Africa
Nannochloropsis 46: 101–108
Negev Desert, Israel ... 42: 1–14, 42: 183–195, 42: 261–274,
 43: 53–62, 44: 125–133, 44: 161–179,
 45: 317–327, 45: 333–338
Nerine sarniensis 45: 13–18
nickel sulfate 42: 143–148
Nicotiana gossey 46: 35–40
Nicotiana tabacum 46: 35–40
nitrate reductase 43: 63–68
nitrogen
 fixation 41: 187–198, 47: 35–41
 supply 41: 67–74
¹⁵N NMR 46: 255–264
nucleolus 47: 153–156

oak 44: 381–386
see also *Quercus*
Ochradebus baccatus 43: 325–337

oil 41: 279–284
Opuntia ficus-indica 43: 151–157, 43: 271–280
orange juice 45: 293–296
orange, Washington Navel 45: 293–296

paclobutrazol 47: 85–88
pea 47: 251–256
Pennisetum clandestinum 43: 159–162
pepper, green 42: 15–27
persimmon 44: 57–67
petunia 42: 173–181, 47: 225–229
Phaseolus vulgaris 47: 141–145, 47: 147–152, 47: 231–236
phosphorus 41: 67–74, 47: 97–102
photoacclimation 41: 199–211, 46: 141–146
photosynthesis 41: 199–211, 46: 101–108
photosynthetic microorganisms 46: 141–146
phrygana 46: 41–46, 47: 11–16
phytotoxin 42: 29–36
phytogeographic origin 43: 69–75
phytoplankton 41: 199–211, 46: 73–80
Pigeon Island, Israel 46: 125–130
pigeonpea 44: 49–56
Pinaceae 46: 265–271
pine 43: 7–20
Pinus halepensis 41: 123–127, 42: 51–58, 45: 297–308
Pinus sylvestris 44: 347–358
Pistacia palaestina 46: 273–278
plant growth regulators 45: 293–296
plant regeneration 44: 387–396
plant succession 44: 347–358, 46: 279–286
Plantago coronopus 44: 125–133
plasma membrane 42: 15–27
Pleurotus florida 45: 19–22
Pliocene clay soil 44: 29–36
Poa bulbosa 41: 265–277
Poaceae 42: 245–255
pollen 42: 29–36, 42: 41–50, 45: 343–350
 germination 47: 165–168
 incompatible 47: 165–168
 spectrum 41: 285–295
 transfer 41: 225–232
pollination 42: 149–158, 45: 185–199, 45: 201–212
 ecology 43: 135–145
 insect 45: 185–199
pollinator 45: 141–156
 insect 45: 103–113
polymorphism 47: 77–83
Populus euphratica 43: 339–345
potassium 41: 145–166
potassium chloride 43: 63–68
potato 42: 29–36, 43: 315–323, 47: 245–250
Pseudomonas putida GR12-2 44: 37–42
purple nutsedge 44: 19–28
purple spurge 44: 11–18
Pyrola japonica 44: 259–271
Pyrolaceae 44: 259–271

- Quercus calliprinos* 44: 335–345
Quercus ichnusae 47: 199–207
Quercus pubescens 45: 53–58
Quercus serrata 43: 63–68
- RAPD analysis 43: 303–314
red microalga 46: 147–153
regeneration 43: 259–262, 47: 195–198, 47: 289–291
reproduction 46: 9–16
resistance 47: 135–139
Rhizobium sp. 47: 251–256
Rhizoctonia solani 42: 207–211
Rhodella reticulata 46: 147–153
root 42: 143–148, 45: 23–30, 47: 35–41
 culture 44: 89–94
 elongation 44: 37–42
 growth 47: 153–156
 system 43: 315–323
 tip cells 43: 125–133
 hairy 43: 1–5
Rosmarinus officinalis 47: 77–83
- salinity 42: 125–141
 responses to 42: 285–300
 see also salt
Salsola inermis 42: 37–40
salt 47: 63–76
 concentrations 47: 27–34
 content 44: 29–36
 gland 41: 115–121
 treatment 46: 1–8, 46: 9–16
 salt/water relationships 47: 63–76
 see also salinity
Salvia fruticosa 47: 157–163
Santolina leucantha 47: 257–263
Sardinia 47: 199–207
Scilla verna 47: 103–110
scorpion burrows 42: 37–40
seaweeds 46: 81–82
secretory structures 43: 359–365, 47: 257–263
seed 41: 167–186, 41: 279–284, 42: 197–205
 bank 47: 17–26
 coat 45: 329–331, 44: 125–133
 dispersal 42: 261–274, 43: 147–150
 germination 43: 227–237, 43: 239–247
 lipid peroxidation in 43: 295–302
 mucilaginous 45: 317–327
 origin, effect of 43: 31–40
 predation 46: 273–278
 production 47: 157–163
 surfaces 42: 41–50
 position 42: 197–205
Senecio glaucus 46: 331–335
Senecio vernalis 42: 89–103, 105–113
Senecio vulgaris 42: 105–113
- sex expression 46: 17–25
Sharon, Israel 46: 279–286, 46: 287–298
silicon 45: 285–292
Sinai 46: 53–59
slope 41: 243–250, 42: 183–195, 47: 49–59
 aspect, effect of 47: 169–178
soil 42: 37–42, 42: 321–330, 44: 29–36
 crust 45: 317–327
 types 47: 251–256
Solanaceae 42: 41–50
Solanum linnaeanum 42: 41–50
Solanum macrocarpon 42: 41–50
Sorghum bicolor 42: 125–141, 46: 1–8, 46: 9–16
South Africa 44: 147–160
Spain 41: 129–133, 41: 285–295, 44: 347–358,
 45: 309–316, 46: 223–228, 46: 331–335, 47: 17–26
species diversity 46: 229–238
Spergularia diandra 42: 261–274
Spirodela oligorrhiza 46: 255–264
stem anatomy 42: 213–225
stereology 46: 177–180
sterility 42: 89–103, 42: 173–181
Stipa tenacissima 45: 309–316
Stipagrostis drarii 42: 59–61
successional stages 44: 335–345
summer-dormancy 41: 265–277
survival 42: 1–14
Syria 43: 347–358
systematics 45: 343–350, 46: 265–271
- Tamarix aphylla* 41: 115–121
taxonomy 41: 167–186, 42: 213–225, 44: 95–114
Taxus chinensis 47: 289–291
temperature, effect of 42: 183–195
testa 41: 167–186
Thymelaeaceae 44: 369–379
tobacco 46: 35–40
tolerance 47: 135–139
tomato 41: 67–74, 43: 315–323, 44: 89–94,
 47: 237–243, 47: 245–250
 root culture 44: 89–94
tospovirus 47: 245–250
toxicity 43: 125–133
 cobalt 45: 9–12
 manganese 45: 9–12
 see also toxins
toxins 46: 109–115
 see also toxicity
tree form 43: 203–212
Trema orientalis 43: 3891–395
Trichoderma harzianum 44: 49–56
trichomes 44: 57–67
Trifolium pratense 44: 273–288
Triticum aestivum 45: 285–292
Turkey 45: 71–74, 45: 339–341,
 47: 123–129, 47: 293–296

- Uganda **46:** 189–198
 ultramafic area **46:** 213–221
 ultramafic vegetation **43:** 7–20
- vascular plants **47:** 49–59
 vegetational landscape **44:** 161–179, **46:** 53–59
 vegetative organs **47:** 257–263
Verticillium chlamydosporium **44:** 49–56
Verticillium dahliae **42:** 29–36
Vicia faba **47:** 35–41
 Viciae **41:** 167–186, **43:** 249–258
Vigna unguiculata **43:** 385–390
 viral plant disease **47:** 135–139
Vulpia persica **42:** 257–259
- wasp **46:** 273–278
 water quality **46:** 109–115
- water stress **43:** 99–111, **44:** 135–141
Westiellopsis prolifica **44:** 43–48
 wheat **44:** 77–88, **47:** 213–224
 evolution **43:** 85–99
 spring **46:** 209–212
 wild emmer **45:** 31–37, **45:** 39–44, **45:** 45–51
 wood
 archaeological remains **44:** 161–179, **46:** 53–59
 charred **47:** 11–16
 woody plants **43:** 69–75
- xerophytic plants **41:** 57–65
 xylem **47:** 265–268
- Zea mays* **45:** 23–30
 zinc **43:** 21–30

ISRAEL JOURNAL OF PLANT SCIENCES

NOTICE TO CONTRIBUTORS

The **Israel Journal of Plant Sciences** publishes contributions from all over the world dealing with all aspects of plant sciences. Review articles, mini-reviews, and short communications are also accepted. Contributions should not have been published elsewhere. All manuscripts will be subject to peer review.

Papers for publication (in triplicate) and books for review should be addressed to the editor: **Professor A.M. Mayer, Department of Botany, The Hebrew University of Jerusalem, Jerusalem, 91904, Israel**. Original articles, if accepted, become the property of the publisher and may not be published elsewhere, in whole or in part, without permission. The author submitting the manuscript should give his/her telephone and fax numbers, and e-mail address.

Manuscripts should be printed on one side only and double-spaced, with side margins not less than 3 cm wide. Authors should retain a copy of their manuscript.

Papers should be written concisely and clearly in English. Regular articles should not normally exceed 10–12 printed pages, not including tables and figures (a full page of text contains 500–600 words). For general presentation, headings, and legends to figures and tables, follow the style used in current issues of the Journal. An abstract suitable for reproduction by abstracting journal (not exceeding 200 words) is required at the beginning of the paper. A suggested organization of an article is: Abstract, Introduction, Materials and Methods, Results, Discussion, Acknowledgments (if any), and References.

Spelling of the names for plants should follow "Index Kewensis." The complete scientific name (genus, species, and authority) should be cited for each plant at its first mention. Plant names should follow the following format:

Viola novae-angliae subsp. *grisea* (Fernald) Gil-ad, stat. & comb. nov.

For the geographical nomenclature of Israel, refer to *Israel—Touring Map 1:250,000*, Survey of Israel, 1992.

The Editor reserves the right to perform editorial changes or to return a manuscript to the author for revision. To expedite publication, authors should submit the final accepted version on a diskette along with the revised manuscript. First preference is for a Macintosh diskette, using Microsoft Word format. However, any Macintosh or PC-compatible diskette is acceptable. Please include both original files (indicate what program and version were used) and an ASCII version of the final accepted paper.

References in the text should be cited by the author's name and year of publication, e.g., (Smith and Brown, 1980) or "as stated by Smith and Brown (1980)." The list of references should be arranged alphabetically by author at the end of the text. Titles of articles cited should be given in

full; abbreviate titles of periodicals according to the "International List of Periodical Title Word Abbreviations." Cite titles of books in full, including the name of the publisher and the place of publication.

Sample references:

- Ito, S. 1971. The perisperm. In: Hulme, A.C., ed. The biochemistry of fruits and their products. Vol 2. Academic Press, London, pp. 281–301.
- Lifshitz, R., Kloepper, J.W., Scher, F., Tipping, E.M. and Laliberte, M. 1986. Nitrogen-fixing *Pseudomonas* isolated from roots of plants grown in the Canadian high Arctic. *Appl. Environ. Microbiol.* 51: 251–255.

No editorial responsibility can be taken for the accuracy of the references; authors are requested to check these with special care.

Authors should suggest a **running title** not exceeding 35 letters and spaces, as well as 3–6 key words. The corresponding author should be indicated and all authors' names should be given in full.

Three sets of **illustrations** (original and two photocopies) should be submitted. If figures are computer-generated, please include them on a disk, in a non-proprietary format (TIFF, EPS, PICT, JPEG), along with the hard copy. Each copy of a drawing or photograph should be identified on the back with the author's name, the figure number, and its orientation. **Figure captions** should be listed together on a separate sheet. If the scale is important, it should be indicated on the figure itself; reduction or magnification should preferably not be indicated in the caption, as printing reduction has to be taken into account. **Graph lettering** should be large enough (10–12 points) to be legible when reduced to final size. All photographs should be submitted as glossy prints.

Illustrations in color can be accepted only if the author defrays the cost. If appropriate, a color photograph can be accepted, at no cost to the author, for the cover of the Journal.

Proofs should be returned to the Publisher immediately. Proofreading should be limited to the correction of typographical errors; substantial changes may be charged to the author. Authors are entitled to 25 free reprints of their article, and may purchase copies of the issue in which it appears at a reduced rate. Additional reprints may also be ordered, at extra cost, at the proof stage.

For all other queries, the publisher can be contacted at:

Laser Pages Publishing Ltd.
P.O. Box 35409
Jerusalem 91352 Israel
e-mail: info@laserpages.net
web-site: www.laserpages.net

ISRAEL JOURNAL OF PLANT SCIENCES

INDEX TO VOLS. 41–47 (1992–1999)

ISSN 0792-9978

Author Index	1
Subject Index	11

Cover (clockwise, from upper right): Elements of pileal cuticle, spores, basidia, and cheilocystidia of *Agaricus praeclaresquamosus*—from Wasser, Species diversity in the tribe Agariceae Pat. (Higher Basidiomycetes) of Israel mycobiota, Vol. 46 p. 315; orchid, *Phalaenopsis* grown by Y. Nevet at Kibbutz Ma'ale HaHamisha, photo: A.M. Mayer; *Leucospermum oleifolium* (Proteaceae) from the Cape of South Africa, visited by bees (*Apis mellifera* in photo) and birds—from Weiss and Lamont, Floral color change and insect pollination: A dynamic relationship, Vol. 45 p. 185; Salt crystals on a leaf of *Avicennia marina* in the southeastern Sinai, Egypt, photo: Z. Dubinsky—see Hanagata et al., Minireview: Salt/water relationships in mangroves, Vol. 47 p. 63; map showing Lake Agmon and other water bodies, the reconstructed Jordan River, and network of drainage canals superimposed on the historic Lake Hula and swamps—from Pollinger et al., Algal flora in the Hula Valley—past and present, Vol. 46 p. 155; spikes of the two subspecies of *Aegilops geniculata* and the reciprocal F_2 hybrids—from Ohta, Hybrid sterility as a reproductive barrier isolating the two subspecies of *Aegilops geniculata* (Gramineae), Vol. 47 p. 89.

Journal title is covered in: *Bibliography of Agriculture*; *Biological Abstracts*; *BIOSIS*; *CAB International Database*; *Cambridge Scientific Abstracts*; *Chemical Abstracts*; *Chemisches Zentralblatt*; *Current Advances in Applied Microbiology & Biotechnology*; *Current Advances in Ecological & Environmental Sciences*; *Current Advances in Genetics & Molecular Biology*; *Current Advances in Plant Science*; *Ecological Abstracts*; *Elsevier BIOBASE/Current Awareness in Biological Sciences*; *Excerpta Botanica*; *Field Crop Abstracts*; *Forestry Abstracts*; *GeoAbstracts*; *Horticultural Abstracts*; *International Bibliography of Book Reviews*; *Review of Plant Pathology*; *Science Citation Index*; *SciSearch*.

Printed in Israel

ISSN 0792-9978